


		Sanitized	Copy Approved for R	elease 2011/08/03 :	CIA-RDP82-00038	R002100140001-4			
									50X1-HUM
									FOY4 LILIM
									50X1-HUM
(Inscalla	tion	Schemati	c of Ba	ttery G	Groups :	I and I	I Venti	lators)	
									50X1-HUM


								50X1-HUM
								50X1-HUM
								SUX I-HUIVI
							,	
vatall	ation	Schematic	of Battery	7 Groups	I and II	Ventil	ators)	
								50X1-HUM
								50X1-HUM
								50X1-HUM
								50X1-HUM
								50X1-HUM
								50X1-HUM









Sanitized Copy Approved for Release 2011/08/03 : CIA-RDP82-00038R002100140001-4



Sanitized Copy Approved for Release 2011/08/03 : CIA-RDP82-00038R002100140001-4








	50X1-HUM
•	
	50X1-HUM
(Installation Schematic of Battery Groups III and IV Ventilato	rs)
·	
	50X1-HUM


50X1-HUM .3 10 11 50X1-HUM




План по верхним ятам 50X1-HUM

Sanitized Copy Approved for Release 2011/08/03 : CIA-RDP82-00038R002100140001-4

50X1-HUM RINGH NO HUNCHUM SMAM 50X1-HUM







	50X1-HUM
	50X1-HUM
(Listing of Large Sized Equipment and Schematic for	Removal)
	50X1-HUM







Схема съемных листов Comment nuch Comment inch CHEMINAS MEM BRODHOW AICK Momerk 2500 ---- 3600 --

				50X1-HUM
	The second secon			
съемных лист	1 SAR LLUM	amubiz mekc	& 40 N K	
CREMHOLX JUCH				
Corrected sucm		Dick Com tree part	Хотный жист	
		Cakkynyssini poli Svaktoria		
- onneek		<u> </u>	¥.	∭ ome
300 00 00	· A /4.	is a second		
· ·	\ <del>u</del> /	- 1700 -		
		ı		
				<u> 1 topo (* </u>
	•			
•				



	50X1-HUM	
The second secon		
1		
1		
State day commission of		
THE GON TOPHES TOPHES OF THE MAN		
$\psi$ , $\gamma$ , $\gamma$ , $\gamma$		
Lonnek		
T BITTE, EK		
34 32 30 28 26 24 22 20 45 16 14 12 10 8		
22 20 10 10 11		
<i>i</i> \		7
		0
DBeps \$800 44.		:
·		
,		1
ar a		1
		į
		į
hall to		
<b>₩</b> .		1
		-
A STATE OF THE STA		İ
N-30kym. 10-9nuch Mato 1641-478-235	fluci	7
N'gokyn. Regnuck Agra	12	-
		_

Sanitized Copy Approved for Release 2011/08/03 : CIA-RDP82-00038R002100140001-4

				50X1-HUM
the Geometric			Factory No.	237)
				50X1-HUM
	the Geometric	the Geometric Parameters		the Geometric Parameters of the Screw Factory No.

						50.
L60#16	трии	rpeor	()I() [	винта	-	50.
						50X1
	reosie	геометрии	геометрии греби	геометрии гребиого г	геометрии греблого винта	геометрии гребиого винта



Nº	<i>Радиус</i>	3ход / кр	ONIKO /	4.0.
Сечения	сечения	Центрильный 9201	A a mein	A - ;;
I	220	· 15°	232,38	278,6
1.	300	22,50	195,06	272,0
1111	400	20°	.205,17	276,0
IF	525	18°	225,7	292,5
2	650	15°	263,89	3/30
VI.	115	10°	304,04	3:3,0
VII	\$50°	5	354,18	344,5
Ges	CHUE.	VII Ha R= 850 pm	и - Замеры H	e noci epano

220

2			32 3 Base   Base 38
I	1090	0,78523	
1	1175	0,848625	2 4
	1275	0,89174+	•
I.	1350	0,925531	
V	1145	0,962873	1
N	840	0,985444	
NI.	635	0,993005	) 

F01/4	1.11.18.4	
5UX1	-HUM	

140	2a ĝuyo	3x02 / xp	OMKO!	Ge:
Сечения	Сечения	Угол Угол	Kainem	X = 1
I	220	· 15°	232,38	278,6
11	300	22,50	195,06	272,0
111	400	20°	205,17	276,0
IV	525	18°	225,7	292,5
Ž	650	15°	263,89	313,0
VI	715	10°	307,07	.333,0
VII	550	5°	334,18	344,5
Gea	: €44 €	VII 44 R= 85 Cam	, -34 меры не	npolepano
	:		i !	,

220

1 1		<b>1</b>	<i>V W</i>
			8.30 654.00
I	1090	0,78523	The second secon
1	1175	0,848625	
	1275	0,89179+	
Ī	1350	0,925531	
V	1145	0,962873	
11	840	0,985444	•
V!!	635	0,993005	
			,
			1

				50X1-HUM		
	. [	70	Jaguye	3x03 /	кромка /	
			CEUEHUR	<b>Цен</b> гарильны 9301		\(\lambda_{\sigma}\)
		I	220	· 15°	232,38	278,6
	To the second	TI.	300	22,50	195,06	272,0
	1	111	400	20°	205,17	276,0
	and the	IV	525	18°	225,7	292,5
		2	650	15°	263,89	3/30
	,	VI	115	10°	301,01	.333,0
	,	VII	550	5	354,18	344,5
		403	1840 E 1		Com, -3946,061	HE APOLEPANO
	:		* 1		·	
				· (1-8)		
				ò	220	
·			×   3			
I	1090	0,	78523	en e		
TT TT	1175	i '	8625	1		
アレ	1275	, ,	179+	ĺ		
1 1 V	1145		2873			
ŸĪ;		0,98	i	•	. A.	
VII !	635			1		

Ť	Ocs	Box08;	Разность	
	X-X (*)	Ц <b>е</b> нтральный учи	Kumem	китетов Кромки
	278,6	30°	354,93	122,55
	272,0	25	348,6	153,6
•	276,0	20°	346,83	141,66
:	292,5	18°	360,7	135,0
	3/30	15°	359,21	95,32
	;3,C	10	353,63	46,56
	- 44, -	5	351,12	17,54

те престораниев в связи с сбрезкой лепартей у R=\$40 мм.

Yorus 50x1-HUI